

1. Grapotte M, Saraswat M, Bessière C, et al. Discovery of widespread transcription initiation at microsatellites predictable by sequence-based deep neural network. *Nat Commun.* 2021;12(1):3297. doi:10.1038/s41467-021-23143-7
2. Miyauchi K, Nakai T, Saito S, et al. Renal interstitial fibroblasts coproduce erythropoietin and renin under anaemic conditions. *EBioMedicine.* 2021;64:103209. doi:10.1016/j.ebiom.2021.103209
3. Hakamata M, Hokari S, Ohshima Y, et al. Chronic Hypercapnic Respiratory Failure in an Adult Patient with Silver–Russell Syndrome. *Intern Med.* 2021;60(12):1921–1926. doi:10.2169/internalmedicine.5479-20
4. Mizukami M, Ishikawa A, Miyazaki S, et al. A de novo CHD3 variant in a child with intellectual disability, autism, joint laxity, and dysmorphisms. *Brain Dev.* 2021;43(4):563–565. doi:10.1016/j.braindev.2020.12.004
5. Nagayoshi Y, Chujo T, Hirata S, et al. Loss of Ftsj1 perturbs codon-specific translation efficiency in the brain and is associated with X-linked intellectual disability. *Sci Adv.* 2021;7(13). doi:10.1126/sciadv.abf3072
6. Hozawa A, Tanno K, Nakaya N, et al. Study Profile of the Tohoku Medical Megabank Community-Based Cohort Study. *J Epidemiol.* 2021;31(1):65–76. doi:10.2188/jea.JE20190271
7. Uchida Y, Higuchi T, Shirota M, et al. Identification and Validation of Combination Plasma Biomarker of Afamin, Fibronectin and Sex Hormone-Binding Globulin to Predict Pre-eclampsia. *Biol Pharm Bull.* 2021;44(6):804–815. doi:10.1248/bpb.b20-01043
8. Onoki T, Izumi Y, Takahashi M, et al. Skeletal muscle-specific Keap1 disruption modulates fatty acid utilization and enhances exercise capacity in female mice. *Redox Biol.* 2021;43:101966. doi:10.1016/j.redox.2021.101966
9. Okazaki K, Anzawa H, Liu Z, et al. Publisher Correction: Enhancer remodeling promotes tumor-initiating activity in NRF2-activated non-small cell lung cancers. *Nat Commun.* 2021;12(1):506. doi:10.1038/s41467-021-20927-9
10. Rehm HL, Page AJH, Smith L, et al. GA4GH: International policies and standards for data sharing across genomic research and healthcare. *Cell Genomics.* 2021;1(2):100029. doi:10.1016/j.xgen.2021.100029

11. Lawson J, Cabili MN, Kerry G, et al. The Data Use Ontology to streamline responsible access to human biomedical datasets. *Cell Genomics*. 2021;1(2):100028. doi:10.1016/j.xgen.2021.100028
12. Zheng Y, Maruoka M, Nanatani K, et al. High cellulolytic potential of the Ktedonobacteria lineage revealed by genome-wide analysis of CAZymes. *J Biosci Bioeng*. 2021;131(6):622–630. doi:10.1016/j.jbiosc.2021.01.008
13. Baird L, Yamamoto M. NRF2-Dependent Bioactivation of Mitomycin C as a Novel Strategy To Target KEAP1-NRF2 Pathway Activation in Human Cancer. *Mol Cell Biol*. 2021;41(2). doi:10.1128/MCB.00473–20
14. Horiuchi M, Taguchi K, Hirose W, et al. Cellular Nrf2 Levels Determine Cell Fate during Chemical Carcinogenesis in Esophageal Epithelium. *Mol Cell Biol*. 2021;41(2):125–128. doi:10.1128/MCB.00536–20
15. Otsuki A, Okamura Y, Aoki Y, et al. Identification of Dominant Transcripts in Oxidative Stress Response by a Full-Length Transcriptome Analysis. *Mol Cell Biol*. 2021;41(2). doi:10.1128/MCB.00472–20
16. Kumondai M, Gutiérrez Rico EM, Hishinuma E, et al. Functional Characterization of 40 CYP3A4 Variants by Assessing Midazolam 1' -Hydroxylation and Testosterone 6  $\beta$  -Hydroxylation. *Drug Metab Dispos*. 2021;49(3):212–220. doi:10.1124/dmd.120.000261
17. Saito S, Aoki Y, Tamahara T, et al. Oral Microbiome Analysis in Prospective Genome Cohort Studies of the Tohoku Medical Megabank Project. *Front Cell Infect Microbiol*. 2021;10. doi:10.3389/fcimb.2020.604596
18. Horie Y, Suzuki T, Inoue J, et al. Molecular basis for the disruption of Keap1-Nrf2 interaction via Hinge & Latch mechanism. *Commun Biol*. 2021;4(1):576. doi:10.1038/s42003–021–02100–6
19. Saigusa D, Hishinuma E, Matsukawa N, et al. Comparison of Kit-Based Metabolomics with Other Methodologies in a Large Cohort, towards Establishing Reference Values. *Metabolites*. 2021;11(10):652. doi:10.3390/metabo11100652
20. Kato K, Nakayoshi T, Nokura R, et al. Deciphering Structural Alterations Associated with Activity Reductions of Genetic Polymorphisms in Cytochrome P450 2A6 Using Molecular Dynamics Simulations. *Int J Mol Sci*. 2021;22(18):10119. doi:10.3390/ijms221810119
21. Kumondai M, Gutiérrez Rico E, Hishinuma E, et al. Functional Characterization of 21 Rare Allelic CYP1A2 Variants Identified in a Population of 4773 Japanese Individuals by Assessing Phenacetin O-Deethylation. *J Pers Med*. 2021;11(8):690. doi:10.3390/jpm11080690

22. Yamada M, Motoike IN, Kojima K, et al. Genetic loci for lung function in Japanese adults with adjustment for exhaled nitric oxide levels as airway inflammation indicator. *Commun Biol.* 2021;4(1):1288. doi:10.1038/s42003-021-02813-8
23. Shiihara M, Ishikawa T, Saiki Y, et al. Development of a system combining comprehensive genotyping and organoid cultures for identifying and testing genotype-oriented personalised medicine for pancreaticobiliary cancers. *Eur J Cancer.* 2021;148:239–250. doi:10.1016/j.ejca.2021.01.047
24. Hishinuma E, Shimada M, Matsukawa N, et al. Wide-Targeted Metabolome Analysis Identifies Potential Biomarkers for Prognosis Prediction of Epithelial Ovarian Cancer. *Toxins (Basel).* 2021;13(7):461. doi:10.3390/toxins13070461
25. Urano A, Saigusa D, Suzuki T, et al. Nrf2 plays a critical role in the metabolic response during and after spaceflight. *Commun Biol.* 2021;4(1):1381. doi:10.1038/s42003-021-02904-6
26. Zhang A, Suzuki T, Adachi S, et al. Distinct Regulations of HO-1 Gene Expression for Stress Response and Substrate Induction. *Mol Cell Biol.* 2021;41(11). doi:10.1128/MCB.00236-21
27. Yamauchi T, Ochi D, Matsukawa N, et al. Machine learning approaches to predict gestational age in normal and complicated pregnancies via urinary metabolomics analysis. *Sci Rep.* 2021;11(1):17777. doi:10.1038/s41598-021-97342-z
28. Minato T, Ito S, Li B, et al. Liquid biopsy with droplet digital PCR targeted to specific mutations in plasma cell-free tumor DNA can detect ovarian cancer recurrence earlier than CA125. *Gynecol Oncol Reports.* 2021;38:100847. doi:10.1016/j.gore.2021.100847
29. Graham SE, Clarke SL, Wu KHH, et al. The power of genetic diversity in genome-wide association studies of lipids. *Nature.* 2021;600(7890):675–679. doi:10.1038/s41586-021-04064-3
30. Ogishima S, Nagaie S, Mizuno S, et al. dbTMM: an integrated database of large-scale cohort, genome and clinical data for the Tohoku Medical Megabank Project. *Hum Genome Var.* 2021;8(1):44. doi:10.1038/s41439-021-00175-5
31. Takayama J, Tadaka S, Yano K, et al. Construction and integration of three de novo Japanese human genome assemblies toward a population-specific reference. *Nat Commun.* 2021;12(1):226. doi:10.1038/s41467-020-20146-8
32. Kumondai M, Ito A, Gutiérrez Rico EM, et al. Functional Assessment of 12 Rare Allelic CYP2C9 Variants Identified in a Population of 4773 Japanese Individuals. *J Pers Med.* 2021;11(2):94. doi:10.3390/jpm11020094
33. Isaka Y, Nishio S ya, Hishinuma E, Hiratsuka M, Usami S ichi. Improvement of a Rapid and Highly Sensitive Method for the Diagnosis of the Mitochondrial m.1555A>G Mutation Based on a Single-

Stranded Tag Hybridization Chromatographic Printed–Array Strip. *Genet Test Mol Biomarkers*. 2021;25(1):79–83. doi:10.1089/gtmb.2020.0105

34. Tadaka S, Hishinuma E, Komaki S, et al. jMorp updates in 2020: large enhancement of multi–omics data resources on the general Japanese population. *Nucleic Acids Res.* 2021;49(D1):D536–D544. doi:10.1093/nar/gkaa1034
35. Sakaue S, Kanai M, Tanigawa Y, et al. A cross–population atlas of genetic associations for 220 human phenotypes. *Nat Genet.* 2021;53(10):1415–1424. doi:10.1038/s41588-021-00931-x
36. Sakurai–Yageta M, Kumada K, Gocho C, et al. Japonica Array NEO with increased genome–wide coverage and abundant disease risk SNPs. *J Biochem.* 2021;170(3):399–410. doi:10.1093/jb/mvab060
37. Saigusa D, Matsukawa N, Hishinuma E, Koshiba S. Identification of biomarkers to diagnose diseases and find adverse drug reactions by metabolomics. *Drug Metab Pharmacokinet.* 2021;37:100373. doi:10.1016/j.dmpk.2020.11.008
38. Shido K, Kojima K, Shirota M, et al. GWAS Identified IL4R and the Major Histocompatibility Complex Region as the Associated Loci of Total Serum IgE Levels in 9,260 Japanese Individuals. *J Invest Dermatol.* 2021;141(11):2749–2752. doi:10.1016/j.jid.2021.02.762
39. Shimizu M, Koibuchi N, Mizugaki A, et al. Genetic variants of flavin–containing monooxygenase 3 (FMO3) in Japanese subjects identified by phenotyping for trimethylaminuria and found in a database of genome resources. *Drug Metab Pharmacokinet.* 2021;38:100387. doi:10.1016/j.dmpk.2021.100387
40. Nagaoka S, Yamaguchi–Kabata Y, Shiga N, et al. Estimation of the carrier frequencies and proportions of potential patients by detecting causative gene variants associated with autosomal recessive bone dysplasia using a whole–genome reference panel of Japanese individuals. *Hum Genome Var.* 2021;8(1):2. doi:10.1038/s41439-020-00133-7
41. Ishikawa T, Ogawa T, Nakanome A, et al. Whole exome sequencing and establishment of an organoid culture of the carcinoma showing thymus–like differentiation (CASTLE) of the parotid gland. *Virchows Arch.* 2021;478(6):1149–1159. doi:10.1007/s00428-020-02981-8
42. Tokunaga H, Iida K, Hozawa A, et al. Novel candidates of pathogenic variants of the BRCA1 and BRCA2 genes from a dataset of 3,552 Japanese whole genomes (3.5KJPNv2). Zheng Y, ed. *PLoS One.* 2021;16(1):e0236907. doi:10.1371/journal.pone.0236907
43. Tayama H, Karasawa H, Yamamura A, et al. The association between ERK inhibitor sensitivity and molecular characteristics in colorectal cancer. *Biochem Biophys Res Commun.* 2021;560:59–65. doi:10.1016/j.bbrc.2021.04.130

44. Kojima K, Shido K, Tamiya G, Yamasaki K, Kinoshita K, Aiba S. Facial UV photo imaging for skin pigmentation assessment using conditional generative adversarial networks. *Sci Rep.* 2021;11(1):1213. doi:10.1038/s41598-020-79995-4
45. Fukunaga K, Hishinuma E, Hiratsuka M, et al. Determination of novel CYP2D6 haplotype using the targeted sequencing followed by the long-read sequencing and the functional characterization in the Japanese population. *J Hum Genet.* 2021;66(2):139–149. doi:10.1038/s10038-020-0815-x