

1. Itoh T, Omori Y, Seino M, et al. Gene Rearrangement and Expression of PRKACA and PRKACB Govern Morphobiology of Pancreatobiliary Oncocytic Neoplasms. *Mod Pathol*. 2024;37(1):100358. doi:10.1016/j.modpat.2023.100358
2. Akiyama T, Saigusa D, Inoue T, et al. Exploration of urine metabolic biomarkers for new-onset, untreated pediatric epilepsy: A gas and liquid chromatography mass spectrometry-based metabolomics study. *Brain Dev*. 2024;46(4):180–186. doi:10.1016/j.braindev.2023.12.004
3. Tanaka M, Yokoyama T, Saito H, et al. Boric acid intercepts 80S ribosome migration from AUG-stop by stabilizing eRF1. *Nat Chem Biol*. Published online January 24, 2024. doi:10.1038/s41589-023-01513-0
4. Shimizu M, Makiguchi M, Hishinuma E, Saito S, Hiratsuka M, Yamazaki H. Rare but impaired flavin-containing monooxygenase 3 (FMO3) variants reported in a recently updated Japanese mega-databank of genome resources. *Drug Metab Pharmacokinet*. 2024;55:100539. doi:10.1016/j.dmpk.2023.100539
5. Tadaka S, Kawashima J, Hishinuma E, et al. jMorp: Japanese Multi-Omics Reference Panel update report 2023. *Nucleic Acids Res*. 2024;52(D1):D622–D632. doi:10.1093/nar/gkad978
6. Tomono J, Asano K, Chiashi T, et al. Direct visualization of ribosomes in the cell-free system revealed the functional evolution of aminoglycoside. *J Biochem*. Published online January 16, 2024. doi:10.1093/jb/mvae002
7. Gargano MA, Matentzoglou N, Coleman B, et al. The Human Phenotype Ontology in 2024: phenotypes around the world. *Nucleic Acids Res*. 2024;52(D1):D1333–D1346. doi:10.1093/nar/gkad1005
8. Yaoita H, Kawai E, Takayama J, et al. Genetic etiology of truncus arteriosus excluding 22q11.2 deletion syndrome and identification of c.1617del, a prevalent variant in TMEM260, in the Japanese population. *J Hum Genet*. Published online February 13, 2024. doi:10.1038/s10038-024-01223-y
9. Aoki Y ichi, Taguchi K, Anzawa H, et al. Whole blood transcriptome analysis for age- and gender-specific gene expression profiling in Japanese individuals. *J Biochem*. Published online January 24, 2024. doi:10.1093/jb/mvae008
10. Sato M, Hishinuma E, Matsukawa N, et al. Dietary habits and plasma lipid concentrations in a general Japanese population. *Metabolomics*. 2024;20(2):34. doi:10.1007/s11306-024-02087-1

11. Kunii K, Yamanaka T, Miyamoto A, Nanatani K, Abe K. Thermostability optimization of the aspartate/alanine exchange transporter from *Tetragenococcus halophilus*. *J Biochem*. 2024;175(4):439–446. doi:10.1093/jb/mvad104
12. Harada S, Iida M, Miyagawa N, et al. Study Profile of the Tsuruoka Metabolomics Cohort Study (TMCS). *J Epidemiol*. Published online 2024:JE20230192. doi:10.2188/jea.JE20230192
13. Mizuno S, Wagata M, Nagaie S, et al. Development of phenotyping algorithms for hypertensive disorders of pregnancy (HDP) and their application in more than 22,000 pregnant women. *Sci Rep*. 2024;14(1):6292. doi:10.1038/s41598-024-55914-9
14. Tochigi M, Shigeta S, Shimada M, et al. Lenvatinib plus Pembrolizumab Combination Therapy for Advanced or Recurrent Endometrial Cancer: A Single-Center, Retrospective Analysis. *Tohoku J Exp Med*. 2024;262(2):2023.J095. doi:10.1620/tjem.2023.J095
15. Kato K, Nakayoshi T, Hioki S, et al. Structural Impact Assessment of Cytochrome P450 2A13 Polymorphisms Using Molecular Dynamics Simulations. *Biol Pharm Bull*. 2024;47(3):b23-00908. doi:10.1248/bpb.b23-00908
16. Murakami K, Itoh T, Okamura Y, et al. Molecular pathological demonstration of an unusual angiosarcoma-like dedifferentiation pattern in hepatocellular carcinoma. *Pathol Int*. 2024;74(3):157–159. doi:10.1111/pin.13412
17. Ookubo M, Tashiro Y, Asano K, et al. “Rich arginine and strong positive charge” antimicrobial protein protamine: From its action on cell membranes to inhibition of bacterial vital functions. *Biochim Biophys Acta – Biomembr*. 2024;1866(5):184323. doi:10.1016/j.bbamem.2024.184323
18. Nakai T, Saigusa D, Kato K, et al. The drug-specific properties of hypoxia-inducible factor-prolyl hydroxylase inhibitors in mice reveal a significant contribution of the kidney compared to the liver to erythropoietin induction. *Life Sci*. 2024;346:122641. doi:10.1016/j.lfs.2024.122641
19. Narumi S, Nagasaki K, Kiriya M, et al. Functional variants in a TTTG microsatellite on 15q26.1 cause familial nonautoimmune thyroid abnormalities. *Nat Genet*. Published online May 7, 2024. doi:10.1038/s41588-024-01735-5
20. Takayama J, Makino S, Funayama T, et al. A fine-scale genetic map of the Japanese population. *Clin Genet*. 2024;106(3):284–292. doi:10.1111/cge.14536
21. Asano R, Takeuchi M, Nakakido M, et al. Characterization of a novel format scFv × VHH single-chain biparatopic antibody against metal binding protein MtsA. *Protein Sci*. 2024;33(6). doi:10.1002/pro.5017
22. Zhang L, Nishi H, Kinoshita K. Multi-Omics Profiling Reveals Phenotypic and Functional Heterogeneity of Neutrophils in COVID-19. *Int J Mol Sci*. 2024;25(7):3841. doi:10.3390/ijms25073841

23. Ishizawa K, Tamahara T, Suzuki S, et al. Sequential Sampling of the Gastrointestinal Tract to Characterize the Entire Digestive Microbiome in Japanese Subjects. *Microorganisms*. 2024;12(7):1324. doi:10.3390/microorganisms12071324
24. Iwasaki T, Shiota H, Sasaki K, et al. Specific cancer types and prognosis in patients with variations in the *KEAP1* - *NRF2* system: A retrospective cohort study. *Cancer Sci*. Published online September 26, 2024. doi:10.1111/cas.16355
25. Yamazaki S, Hishinuma E, Suzuki Y, et al. Functional significance of CYP2B6 gene rare allelic variants identified in Japanese individuals. *Biochem Pharmacol*. 2024;229:116515. doi:10.1016/j.bcp.2024.116515
26. Yamauchi M, Maekawa M, Sato T, et al. Liquid Chromatography/Tandem Mass Spectrometry-Based Simultaneous Analysis of 32 Bile Acids in Plasma and Conventional Biomarker-Integrated Diagnostic Screening Model Development for Hepatocellular Carcinoma. *Metabolites*. 2024;14(9):513. doi:10.3390/metabo14090513
27. How Healthy Lifestyle Habits Have Interacted with SARS-CoV-2 Infection and the Effectiveness of COVID-19 Vaccinations: Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. *JMA J*. 2024;7(3):353–363. doi:10.31662/jmaj.2024-0043
28. Sakurai-Yageta M, Suzuki Y. Molecular Mechanisms of Biotin in Modulating Inflammatory Diseases. *Nutrients*. 2024;16(15):2444. doi:10.3390/nu16152444
29. Kojima K, Tadaka S, Okamura Y, Kinoshita K. Two-stage strategy using denoising autoencoders for robust reference-free genotype imputation with missing input genotypes. *J Hum Genet*. 2024;69(10):511–518. doi:10.1038/s10038-024-01261-6
30. Urgent Notification Intervention of Home Blood Pressure in Cohort Studies of the Tohoku Medical Megabank Project. *JMA J*. 2024;7(3):342–352. doi:10.31662/jmaj.2023-0215
31. Sakurai M, Motoike IN, Hishinuma E, et al. Identifying critical age and gender-based metabolomic shifts in a Japanese population of the Tohoku Medical Megabank cohort. *Sci Rep*. 2024;14(1):15681. doi:10.1038/s41598-024-66180-0
32. Kaushik N, Sharma P, Himori N, Matsumoto T, Miya T, Nakazawa T. Mobile infrared slit-light scanner for rapid eye disease screening. *J Med Imaging*. 2024;11(02). doi:10.1117/1.JMI.11.2.026003
33. Nakatochi M, Kushima I, Aleksic B, et al. Copy number variations in *RNF216* and postsynaptic membrane-associated genes are associated with bipolar disorder: a case-control study in the Japanese population. *Psychiatry Clin Neurosci*. Published online October 15, 2024. doi:10.1111/pcn.13752

34. Taguchi A, Kato K, Furusawa A, et al. Heterogeneous treatment effect of dose-dense paclitaxel plus carboplatin therapy for advanced ovarian cancer. *Int J Cancer*. 2024;155(6):1068–1077. doi:10.1002/ijc.34996
35. Cho HW, Kim HS, Park JY, et al. A randomized phase II study of secondary cytoreductive surgery in patients with relapsed ovarian cancer who have progressed on a PARP inhibitor as first-line maintenance therapy: the SOCCER-P study (KGOG 3067/JGOG 3036/APGOT-OV11). *Int J Gynecol Cancer*. Published online August 20, 2024:ijgc-2024-005838. doi:10.1136/ijgc-2024-005838
36. Kiuchi S, Nakaya K, Cooray U, et al. A principal component analysis of metabolome and cognitive decline among Japanese older adults: cross-sectional analysis using Tohoku Medical Megabank Cohort Study. *J Epidemiol*. Published online 2024:JE20240099. doi:10.2188/jea.JE20240099
37. Saito-Koyama R, Tamai K, Yasuda J, et al. Morphometric analysis of nuclear shape irregularity as a novel predictor of programmed death-ligand 1 expression in lung squamous cell carcinoma. *Virchows Arch*. 2024;484(4):609–620. doi:10.1007/s00428-023-03548-z
38. Nagao S, Nishio S, Takehara K, et al. Re-administration of platinum-based chemotherapy for recurrent endometrial cancer: an ancillary analysis of the SGSG-012/GOTIC-004/Intergroup study. *Int J Clin Oncol*. 2024;29(10):1594–1601. doi:10.1007/s10147-024-02585-1
39. Sato S, Imaeda T, Mugikura S, et al. Association of olfactory and cognitive function test scores with hippocampal and amygdalar grey matter volume: a cross-sectional study. *Sci Rep*. 2024;14(1):19138. doi:10.1038/s41598-024-69726-4
40. Namba S, Akiyama M, Hamanoue H, et al. Inconsistent embryo selection across polygenic score methods. *Nat Hum Behav*. Published online October 14, 2024. doi:10.1038/s41562-024-02019-y
41. Yaoita H, Kawai E, Takayama J, et al. Correction: Genetic etiology of truncus arteriosus excluding 22q11.2 deletion syndrome and identification of c.1617del, a prevalent variant in TMEM260, in the Japanese population. *J Hum Genet*. 2024;69(5):185–185. doi:10.1038/s10038-024-01245-6
42. Suzuki T, Ninomiya K, Funayama T, et al. Next-generation sequencing analysis with a population-specific human reference genome. *Genes Genet Syst*. 2024;99:24–00112. doi:10.1266/ggs.24-00112
43. Chu CT, Uruno A, Katsuoka F, Yamamoto M. Role of NRF2 in Pathogenesis of Alzheimer's Disease. *Antioxidants*. 2024;13(12):1529. doi:10.3390/antiox13121529
44. Watanabe M, Maekawa M, Miyoshi K, et al. Global and Targeted Metabolomics for Revealing Metabolomic Alteration in Niemann-Pick Disease Type C Model Cells. *Metabolites*. 2024;14(10):515. doi:10.3390/metabo14100515

45. Hanyuda A, Raita Y, Ninomiya T, et al. Metabolomic Profiling of Open-Angle Glaucoma Etiologic Endotypes: Tohoku Multi-Omics Glaucoma Study. *Invest Ophthalmol Vis Sci.* 2024;65(13):44. doi:10.1167/iov.65.13.44
46. Sato T, Kawabata T, Kumondai M, et al. Effect of Organic Anion Transporting Polypeptide 1B1 on Plasma Concentration Dynamics of Clozapine in Patients with Treatment-Resistant Schizophrenia. *Int J Mol Sci.* 2024;25(23):13228. doi:10.3390/ijms252313228
47. Sato K, Nakamura Y, Fujiyama K, et al. Absolute quantification of eight human milk oligosaccharides in breast milk to evaluate their concentration profiles and associations with infants' neurodevelopmental outcomes. *J Food Sci.* 2024;89(12):10152–10170. doi:10.1111/1750-3841.17597
48. Miyahara S, Ohuchi M, Nomura M, et al. FDX2, an iron-sulfur cluster assembly factor, is essential to prevent cellular senescence, apoptosis or ferroptosis of ovarian cancer cells. *J Biol Chem.* 2024;300(9):107678. doi:10.1016/j.jbc.2024.107678
49. Ueda A, Nakai H, Miyagawa C, et al. Artificial Intelligence-Based Histopathological Subtyping of High-Grade Serous Ovarian Cancer. *Am J Pathol.* 2024;194(10):1913–1923. doi:10.1016/j.ajpath.2024.06.010
50. Shoji T, Takatori E, Nagasawa T, et al. Comparison of Treatment Outcomes Between First-Line Chemotherapy With or Without Bevacizumab for Advanced Ovarian Clear Cell Carcinoma (Tohoku Gynecologic Cancer Unit: TGCU-RS001A Study). *Cancers (Basel).* 2024;16(22):3801. doi:10.3390/cancers16223801
51. Yokoi A, Machida H, Shimada M, et al. Efficacy and safety of minimally invasive surgery versus open laparotomy for epithelial ovarian cancer: A systematic review and meta-analysis. *Gynecol Oncol.* 2024;190:42–52. doi:10.1016/j.ygyno.2024.08.011
52. Kawabata-Iwakawa R, Iwasa N, Satoh K, et al. Prediction of response to promising first-line chemotherapy in ovarian cancer patients with residual peritoneal tumors: practical biomarkers and robust multiplex models. *Int J Clin Oncol.* 2024;29(9):1334–1346. doi:10.1007/s10147-024-02552-w
53. Ishibashi M, Niikura H, Ishida M, et al. Long-Term and Short-Interval Assessment of Self-Reported Urinary and Sexual Functions after Nerve-Sparing Radical Hysterectomy: A Prospective Cohort Study. *Tohoku J Exp Med.* 2024;263(1):2024.J014. doi:10.1620/tjem.2024.J014
54. Nakamura H, Kikuchi A, Sakai H, et al. Case Report: Identification of a CARD8 variant in all three patients with PFAPA syndrome complicated with Kawasaki disease. *Front Pediatr.* 2024;12. doi:10.3389/fped.2024.1340263
55. Uruno A, Kadoguchi-Igarashi S, Saito R, et al. The NRF2 inducer CDDO-2P-Im provokes a reduction in amyloid  $\beta$  levels in Alzheimer's disease model mice. *J Biochem.* 2024;176(5):405–414. doi:10.1093/jb/mvae060

56. Kobayashi Y, Shimada M, Tamate M, et al. Current treatment strategies for ovarian cancer in the East Asian Gynecologic Oncology Trial Group (EAGOT). *J Gynecol Oncol.* 2024;35(3). doi:10.3802/jgo.2024.35.e87
57. Sato K, Saigusa D, Kokubun T, et al. Author Correction: Reduced glutathione level in the aqueous humor of patients with primary open-angle glaucoma and normal-tension glaucoma. *npj Aging.* 2024;10(1):8. doi:10.1038/s41514-024-00137-5
58. Takamatsu S, Hillman RT, Yoshihara K, et al. Molecular classification of ovarian high-grade serous/endometrioid carcinomas through multi-omics analysis: JGOG3025-TR2 study. *Br J Cancer.* 2024;131(8):1340-1349. doi:10.1038/s41416-024-02837-x
59. Mikami M, Tanabe K, Imanishi T, et al. Comprehensive serum glycopeptide spectra analysis to identify early-stage epithelial ovarian cancer. *Sci Rep.* 2024;14(1):20000. doi:10.1038/s41598-024-70228-6
60. Matsuo K, Shimada M, Matsuzaki S, et al. Assessment of postoperative therapy de-escalation for early-stage, intermediate-risk cervical cancer. *Int J Gynecol Cancer.* 2024;34(9):1349-1358. doi:10.1136/ijgc-2024-005597
61. Inotani T, Horaguchi A, Morishita Y, et al. Treatment of ZC4H2 Variant-Associated Spastic Paraplegia with Selective Dorsal Rhizotomy and Intensive Postoperative Rehabilitation: A Case Report. *Tohoku J Exp Med.* 2024;262(4):2024.J004. doi:10.1620/tjem.2024.J004
62. Kawashima A, Kodama K, Okubo Y, et al. Long-term clinical observation of patients with heterozygous *KIF1A* variants. *Am J Med Genet Part A.* 2024;194(10). doi:10.1002/ajmg.a.63656
63. Hozawa A, Nakaya K, Nakaya N, et al. Progress Report of the Tohoku Medical Megabank Community-based Cohort Study: Study Profile of the Repeated Center-based Survey During Second Period in Miyagi Prefecture. *J Epidemiol.* 2024;34(9):JE20230241. doi:10.2188/jea.JE20230241
64. Abe M, Yamaguchi T, Koshiba S, et al. Oral alkalinizing supplementation suppressed intrarenal reactive oxidative stress in mild-stage chronic kidney disease: a randomized cohort study. *Clin Exp Nephrol.* 2024;28(11):1134-1154. doi:10.1007/s10157-024-02517-3
65. Fuse N, Kimura M, Shimizu A, et al. Mutations of CYP1B1 and FOXC1 genes for childhood glaucoma in Japanese individuals. *Jpn J Ophthalmol.* 2024;68(6):688-701. doi:10.1007/s10384-024-01103-0
66. Sato M, Yaguchi N, Iijima T, et al. Sensor systems of KEAP1 uniquely detecting oxidative and electrophilic stresses separately In vivo. *Redox Biol.* 2024;77:103355. doi:10.1016/j.redox.2024.103355
67. Sato D, Kirikae H, Nakano T, et al. Comprehensive genetic analysis for identification of monogenic disorders and selection of appropriate treatments in pediatric patients with persistent thrombocytopenia. *Pediatr Hematol Oncol.* 2024;41(8):541-556. doi:10.1080/08880018.2024.2395358

68. Takase M, Nakaya N, Tanno K, et al. Relationship between traditional risk factors for hypertension and systolic blood pressure in the Tohoku Medical Megabank Community-based Cohort Study. *Hypertens Res.* 2024;47(6):1533–1545. doi:10.1038/s41440-024-01582-1
69. Takase M, Hirata T, Nakaya N, et al. Associations of combined genetic and lifestyle risks with hypertension and home hypertension. *Hypertens Res.* 2024;47(8):2064–2074. doi:10.1038/s41440-024-01705-8
70. Sekine H, Takeda H, Takeda N, et al. PNPO–PLP axis senses prolonged hypoxia in macrophages by regulating lysosomal activity. *Nat Metab.* 2024;6(6):1108–1127. doi:10.1038/s42255-024-01053-4
71. Sekine H, Takeda H, Takeda N, et al. Author Correction: PNPO–PLP axis senses prolonged hypoxia in macrophages by regulating lysosomal activity. *Nat Metab.* 2024;6(12):2391–2391. doi:10.1038/s42255-024-01183-9
72. Tokioka S, Nakaya N, Hatanaka R, et al. Depressive symptoms as risk factors for the onset of home hypertension: a prospective cohort study. *Hypertens Res.* 2024;47(11):2989–3000. doi:10.1038/s41440-024-01790-9
73. Tokioka S, Nakaya N, Nakaya K, et al. The association between depressive symptoms and masked hypertension in participants with normotension measured at research center. *Hypertens Res.* 2024;47(3):586–597. doi:10.1038/s41440-023-01484-8
74. Himuro H, Kogure M, Nakaya N, et al. The association of birth weight and current BMI on the risk of hypertension: the Tohoku medical megabank community-based cohort study. *Hypertens Res.* 2024;47(11):3025–3034. doi:10.1038/s41440-024-01827-z
75. Takase M, Nakaya N, Nakamura T, et al. Genetic Risk, Healthy Lifestyle Adherence, and Risk of Developing Diabetes in the Japanese Population. *J Atheroscler Thromb.* 2024;31(12):64906. doi:10.5551/jat.64906
76. Li X, Takahashi N, Narita A, et al. Identification of risk loci for postpartum depression in a genome-wide association study. *Psychiatry Clin Neurosci.* 2024;78(11):712–720. doi:10.1111/pcn.13731
77. Mizuno S, Nagaie S, Sugawara J, et al. Early prediction of hypertensive disorders of pregnancy toward preventive early intervention. *AJOG Glob Reports.* 2024;4(4):100383. doi:10.1016/j.xagr.2024.100383
78. Chiba I, Nakaya N, Kogure M, et al. Associations between leisure time, non-leisure time physical activity, and kidney function in Japanese adults: a cross-sectional study. *BMC Nephrol.* 2024;25(1):354. doi:10.1186/s12882-024-03813-6
79. Nakaya K, Nakaya N, Kogure M, et al. Factors Associated With the Prevalence of Irritable Bowel Syndrome: The Miyagi Part of the Tohoku Medical Megabank Project Community-based Cohort Study. *J Neurogastroenterol Motil.* 2024;30(2):208–219. doi:10.5056/jnm23090

80. Takase M, Nakamura T, Nakaya N, et al. Relationships of Fat Mass Index and Fat-Free Mass Index with Low-Density Lipoprotein Cholesterol Levels in the Tohoku Medical Megabank Community-Based Cohort Study. *J Atheroscler Thromb*. 2024;31(6):64535. doi:10.5551/jat.64535
81. Yamada M, Takase M, Nakaya K, et al. Fractional exhaled nitric oxide distribution and its relevant factors in the general adult population and its healthy subpopulation. *J Allergy Clin Immunol Glob*. 2024;3(3):100253. doi:10.1016/j.jacig.2024.100253