

1. Aoki Y ichi, Taguchi K, Anzawa H, et al. Whole blood transcriptome analysis for age- and gender-specific gene expression profiling in Japanese individuals. *J Biochem*. Published online January 24, 2024. doi:10.1093/jb/mvae008
2. Sato M, Hishinuma E, Matsukawa N, et al. Dietary habits and plasma lipid concentrations in a general Japanese population. *Metabolomics*. 2024;20(2):34. doi:10.1007/s11306-024-02087-1
3. Gargano MA, Matentzoglou N, Coleman B, et al. The Human Phenotype Ontology in 2024: phenotypes around the world. *Nucleic Acids Res*. 2024;52(D1):D1333-D1346. doi:10.1093/nar/gkad1005
4. Tanaka M, Yokoyama T, Saito H, et al. Boric acid intercepts 80S ribosome migration from AUG-stop by stabilizing eRF1. *Nat Chem Biol*. Published online January 24, 2024. doi:10.1038/s41589-023-01513-0
5. Itoh T, Omori Y, Seino M, et al. Gene Rearrangement and Expression of PRKACA and PRKACB Govern Morphobiology of Pancreatobiliary Oncocytic Neoplasms. *Mod Pathol*. 2024;37(1):100358. doi:10.1016/j.modpat.2023.100358
6. Yaoita H, Kawai E, Takayama J, et al. Genetic etiology of truncus arteriosus excluding 22q11.2 deletion syndrome and identification of c.1617del, a prevalent variant in TMEM260, in the Japanese population. *J Hum Genet*. Published online February 13, 2024. doi:10.1038/s10038-024-01223-y
7. Tomono J, Asano K, Chiashi T, et al. Direct visualization of ribosomes in the cell-free system revealed the functional evolution of aminoglycoside. *J Biochem*. Published online January 16, 2024. doi:10.1093/jb/mvae002
8. Akiyama T, Saigusa D, Inoue T, et al. Exploration of urine metabolic biomarkers for new-onset, untreated pediatric epilepsy: A gas and liquid chromatography mass spectrometry-based metabolomics study. *Brain Dev*. 2024;46(4):180-186. doi:10.1016/j.braindev.2023.12.004
9. Shimizu M, Makiguchi M, Hishinuma E, Saito S, Hiratsuka M, Yamazaki H. Rare but impaired flavin-containing monooxygenase 3 (FMO3) variants reported in a recently updated Japanese mega-databank of genome resources. *Drug Metab Pharmacokinet*. 2024;55:100539. doi:10.1016/j.dmpk.2023.100539
10. Tadaka S, Kawashima J, Hishinuma E, et al. jMorp: Japanese Multi-Omics Reference Panel update report 2023. *Nucleic Acids Res*. 2024;52(D1):D622-D632. doi:10.1093/nar/gkad978
11. Bui HB, Watanabe S, Nomura N, et al. Cryo-EM structures of human zinc transporter ZnT7 reveal the mechanism of Zn²⁺ uptake into the Golgi apparatus. *Nat Commun*. 2023;14(1):4770. doi:10.1038/s41467-023-40521-5

12. Shiga H, Takahashi T, Shiraki M, et al. Reduced antiviral seropositivity among patients with inflammatory bowel disease treated with immunosuppressive agents. *Scand J Gastroenterol.* 2023;58(4):360-367. doi:10.1080/00365521.2022.2132831
13. Akiyama M, Akiyama T, Saigusa D, et al. Comprehensive study of metabolic changes induced by a ketogenic diet therapy using GC/MS- and LC/MS-based metabolomics. *Seizure.* 2023;107:52-59. doi:10.1016/j.seizure.2023.03.014
14. Shimada M, Yoshihara K, Tanigawa T, et al. An attempt to establish real-world databases of poly(ADP-ribose) polymerase inhibitors for advanced or recurrent epithelial ovarian cancer: the Japanese Gynecologic Oncology Group. *J Gynecol Oncol.* 2023;34(3). doi:10.3802/jgo.2023.34.e62
15. Kawamura M, Shiota H, Niihori T, et al. Management of patients with presumed germline pathogenic variant from tumor-only genomic sequencing: A retrospective analysis at a single facility. *J Hum Genet.* 2023;68(6):399-408. doi:10.1038/s10038-023-01133-5
16. Nanatani K, Ishii T, Masuda A, et al. Novel transporter screening technology for chemical production by microbial fermentation. *J Gen Appl Microbiol.* 2023;69(3):2022.12.002. doi:10.2323/jgam.2022.12.002
17. Kumondai M, Maekawa M, Hishinuma E, et al. Development of a Simultaneous Liquid Chromatography-Tandem Mass Spectrometry Analytical Method for Urinary Endogenous Substrates and Metabolites for Predicting Cytochrome P450 3A4 Activity. *Biol Pharm Bull.* 2023;46(3):b22-00840. doi:10.1248/bpb.b22-00840
18. Hishinuma E, Shimada M, Matsukawa N, et al. Identification of predictive biomarkers for endometrial cancer diagnosis and treatment response monitoring using plasma metabolome profiling. *Cancer Metab.* 2023;11(1):16. doi:10.1186/s40170-023-00317-z
19. Hishinuma E, Narita Y, Rico EMG, et al. Functional Characterization of 12 Dihydropyrimidinase Allelic Variants in Japanese Individuals for the Prediction of 5-Fluorouracil Treatment-Related Toxicity. *Drug Metab Dispos.* 2023;51(2):165-173. doi:10.1124/dmd.122.001045
20. Baird L, Taguchi K, Zhang A, et al. A NRF2-induced secretory phenotype activates immune surveillance to remove irreparably damaged cells. *Redox Biol.* 2023;66:102845. doi:10.1016/j.redox.2023.102845
21. Saito Y, Sato K, Jinno S, et al. Effect of Nicotinamide Mononucleotide Concentration in Human Milk on Neurodevelopmental Outcome: The Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. *Nutrients.* 2023;16(1):145. doi:10.3390/nu16010145
22. Makiguchi M, Shimizu M, Yokota Y, et al. Variants of Flavin-Containing Monooxygenase 3 Found in Subjects in an Updated Database of Genome Resources. *Drug Metab Dispos.* 2023;51(7):884-891. doi:10.1124/dmd.123.001310

23. Kowalik MA, Taguchi K, Serra M, et al. Metabolic reprogramming in Nrf2-driven proliferation of normal rat hepatocytes. *Hepatology*. Published online August 21, 2023. doi:10.1097/HEP.0000000000000568
24. Ishikawa T, Ogawa T, Shiihara M, et al. Salivary gland cancer organoids are valid for preclinical genotype-oriented medical precision trials. *iScience*. 2023;26(5):106695. doi:10.1016/j.isci.2023.106695
25. Suzuki T, Takahashi J, Yamamoto M. Molecular Basis of the KEAP1-NRF2 Signaling Pathway. *Mol Cells*. 2023;46(3):133-141. doi:10.14348/molcells.2023.0028
26. Ikejiri K, Suzuki T, Muto S, et al. Effects of NRF2 polymorphisms on safety and efficacy of bardoxolone methyl: subanalysis of TSUBAKI study. *Clin Exp Nephrol*. Published online November 14, 2023. doi:10.1007/s10157-023-02427-w
27. Baird L, Yamamoto M. Immunoediting of KEAP1-NRF2 mutant tumours is required to circumvent NRF2-mediated immune surveillance. *Redox Biol*. 2023;67:102904. doi:10.1016/j.redox.2023.102904
28. Miyoshi K, Hishinuma E, Matsukawa N, et al. Global Proteomics for Identifying the Alteration Pathway of Niemann–Pick Disease Type C Using Hepatic Cell Models. *Int J Mol Sci*. 2023;24(21):15642. doi:10.3390/ijms242115642
29. Zhang A, Suzuki T, Adachi S, Yoshida E, Sakaguchi S, Yamamoto M. Nrf2 activation improves experimental rheumatoid arthritis. *Free Radic Biol Med*. 2023;207:279-295. doi:10.1016/j.freeradbiomed.2023.07.016
30. SATO Y, Hishinuma E, YAMAZAKI S, et al. Functional Characterization of 29 Cytochrome P450 4F2 Variants Identified in a Population of 8,380 Japanese Subjects and Assessment of Arachidonic Acid ω -Hydroxylation. *Drug Metab Dispos*. Published online September 29, 2023:DMD-AR-2023-001389. doi:10.1124/dmd.123.001389
31. Kudo H, Ishida N, Nobukuni T, et al. Detection and Correction of Sample Misidentifications in a Biobank Using the MassARRAY System and Genomic Information. *Biopreserv Biobank*. Published online December 11, 2023. doi:10.1089/bio.2022.0211
32. Shimizu R, Hirano I, Hasegawa A, et al. Nrf2 alleviates spaceflight-induced immunosuppression and thrombotic microangiopathy in mice. *Commun Biol*. 2023;6(1):875. doi:10.1038/s42003-023-05251-w
33. Hishinuma E, Shimada M, Matsukawa N, et al. Identification of predictive biomarkers for diagnosis and radiation sensitivity of uterine cervical cancer using wide-targeted metabolomics. *J Obstet Gynaecol Res*. Published online June 9, 2023. doi:10.1111/jog.15709
34. Zhang L, Nishi H, Kinoshita K. Single-cell RNA-seq public data reveal the gene regulatory network landscape of respiratory epithelial and peripheral immune cells in COVID-19 patients. *Front Immunol*. 2023;14. doi:10.3389/fimmu.2023.1194614

35. Fujino M, Morito N, Hayashi T, et al. Transcription factor c-Maf deletion improves streptozotocin-induced diabetic nephropathy by directly regulating Sglt2 and Glut2. *JCI Insight*. 2023;8(6). doi:10.1172/jci.insight.163306
36. Egawa-Takata T, Ueda Y, Ito K, et al. Adjuvant Chemotherapy for Endometrial Cancer (ACE) trial: A randomized phase II study for advanced endometrial carcinoma. *Cancer Sci*. 2022;113(5):1693-1701. doi:10.1111/cas.15310
37. Kitamura H, Oishi T, Murakami S, et al. Establishment of Neh2-Cre:tdTomato reporter mouse for monitoring the exposure history to electrophilic stress. *Free Radic Biol Med*. 2022;193:610-619. doi:10.1016/j.freeradbiomed.2022.11.004
38. A Pilot Study for Return of Individual Pharmacogenomic Results to Population-Based Cohort Study Participants. *JMA J*. 2022;5(2). doi:10.31662/jmaj.2021-0156
39. Ogishima S. [Development of Biobank Network in Japan]. *Gan To Kagaku Ryoho*. 2022;49(2):125-128. <http://www.ncbi.nlm.nih.gov/pubmed/35249043>
40. Liu Y, Uruno A, Saito R, et al. Nrf2 deficiency deteriorates diabetic kidney disease in Akita model mice. *Redox Biol*. 2022;58:102525. doi:10.1016/j.redox.2022.102525
41. Asano H, Oda K, Yoshihara K, et al. Phase II study of niraparib in recurrent or persistent rare fraction of gynecologic malignancies with homologous recombination deficiency (JGOG2052). *J Gynecol Oncol*. 2022;33(4). doi:10.3802/jgo.2022.33.e55
42. Iemura K, Anzawa H, Funayama R, et al. High levels of chromosomal instability facilitate the tumor growth and sphere formation. *Cancer Sci*. 2022;113(8):2727-2737. doi:10.1111/cas.15457
43. Mori T, Ueno K, Tokunaga K, et al. A single-nucleotide-polymorphism in the 5'-flanking region of MSX1 gene as a predictive marker candidate for platinum-based therapy of esophageal carcinoma. *Ther Adv Med Oncol*. 2022;14:175883592210805. doi:10.1177/17588359221080580
44. Shoji T, Takatori E, Nagasawa T, et al. Comparison of treatment outcomes between first-line chemotherapy with or without bevacizumab for advanced ovarian, fallopian tube, and primary peritoneal cancer (Tohoku gynecologic cancer unit: TGPU-RS001 study). *Int J Clin Oncol*. 2022;27(12):1874-1880. doi:10.1007/s10147-022-02246-1
45. Katsuoka F, Otsuki A, Hatanaka N, Okuyama H, Yamamoto M. Target Gene Diversity of the Nrf1-MafG Transcription Factor Revealed by a Tethered Heterodimer. *Mol Cell Biol*. 2022;42(3). doi:10.1128/mcb.00520-21

46. Panda H, Suzuki M, Naito M, et al. Halofuginone micelle nanoparticles eradicate Nrf2-activated lung adenocarcinoma without systemic toxicity. *Free Radic Biol Med.* 2022;187:92-104. doi:10.1016/j.freeradbiomed.2022.05.017
47. Suzuki S, Chiba F, Kimura T, Kon N, Nanatani K, Abe K. Conformational transition induced in the aspartate:alanine antiporter by L-Ala binding. *Sci Rep.* 2022;12(1):15871. doi:10.1038/s41598-022-19974-z
48. Okazaki K, Anzawa H, Katsuoka F, Kinoshita K, Sekine H, Motohashi H. CEBPB is required for NRF2-mediated drug resistance in NRF2-activated non-small cell lung cancer cells. *J Biochem.* 2022;171(5):567-578. doi:10.1093/jb/mvac013
49. Matsuo K, Klar M, Barakzai SK, et al. Utilization of sentinel lymph node biopsy in the early ovarian cancer surgery. *Arch Gynecol Obstet.* 2022;307(2):525-532. doi:10.1007/s00404-022-06595-0
50. Edamitsu T, Taguchi K, Okuyama R, Yamamoto M. AHR and NRF2 in Skin Homeostasis and Atopic Dermatitis. *Antioxidants.* 2022;11(2):227. doi:10.3390/antiox11020227
51. Terauchi Y, Nagayama M, Tanaka T, et al. Adsorption Kinetics and Self-Assembled Structures of *Aspergillus oryzae* Hydrophobin RolA on Hydrophobic and Charged Solid Surfaces. Druzhinina IS, ed. *Appl Environ Microbiol.* 2022;88(6). doi:10.1128/aem.02087-21
52. Nakai T, Saigusa D, Iwamura Y, et al. Esterification promotes the intracellular accumulation of roxadustat, an activator of hypoxia-inducible factors, to extend its effective duration. *Biochem Pharmacol.* 2022;197:114939. doi:10.1016/j.bcp.2022.114939
53. Saeidi S, Kim S, Guillen-Quispe YN, et al. Peptidyl-prolyl cis-trans isomerase NIMA-interacting 1 directly binds and stabilizes Nrf2 in breast cancer. *FASEB J.* 2022;36(1). doi:10.1096/fj.202100776RR
54. Nishiumi S, Izumi Y, Hirayama A, et al. Comparative Evaluation of Plasma Metabolomic Data from Multiple Laboratories. *Metabolites.* 2022;12(2):135. doi:10.3390/metabo12020135
55. Shibuya Y, Shimada M, Tsuji K, et al. Prognostic factors of 2018 FIGO stage IB-IIA cervical cancer with absence of high/ intermediate surgical-pathological risk factors. *Jpn J Clin Oncol.* Published online August 1, 2022. doi:10.1093/jjco/hyac125
56. Jacobsen JOB, Baudis M, Baynam GS, et al. The GA4GH Phenopacket schema defines a computable representation of clinical data. *Nat Biotechnol.* 2022;40(6):817-820. doi:10.1038/s41587-022-01357-4
57. Endo S, Shigeta S, Tokunaga H, et al. A Retrospective Analysis of Clinical Biomarkers for Olaparib Maintenance Therapy in Patients with Recurrent Ovarian Cancer. *Tohoku J Exp Med.* 2022;258(1):2022.J050. doi:10.1620/tjem.2022.J050

58. Kato K, Nakayoshi T, Nagura A, et al. Structural investigation of pathogenic variants in dihydropyrimidinase using molecular dynamics simulations. *J Mol Graph Model*. 2022;117:108288. doi:10.1016/j.jmgm.2022.108288
59. Wakamori S, Taguchi K, Nakayama Y, et al. Nrf2 protects against radiation-induced oral mucositis via antioxidation and keratin layer thickening. *Free Radic Biol Med*. 2022;188:206-220. doi:10.1016/j.freeradbiomed.2022.06.239
60. Ganaha A, Hishinuma E, Kaname T, Hiratsuka M, Kondo S, Tono T. Rapid Genetic Diagnosis for Okinawan Patients with Enlarged Vestibular Aqueduct Using Single-Stranded Tag Hybridization Chromatographic Printed-Array Strip. *J Clin Med*. 2022;11(4):1099. doi:10.3390/jcm11041099
61. Baird L, Kensler TW, Yamamoto M. Novel NRF2-activated cancer treatments utilizing synthetic lethality. *IUBMB Life*. 2022;74(12):1209-1231. doi:10.1002/iub.2680
62. Li X, Ono C, Warita N, et al. Heart Rate Information-Based Machine Learning Prediction of Emotions Among Pregnant Women. *Front Psychiatry*. 2022;12. doi:10.3389/fpsy.2021.799029
63. Sugawara J, Ishikuro M, Obara T, et al. Maternal Baseline Characteristics and Perinatal Outcomes: The Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. *J Epidemiol*. 2022;32(2):JE20200338. doi:10.2188/jea.JE20200338
64. Shimada M, Tsuji K, Shigeta S, et al. Rethinking the significance of surgery for uterine cervical cancer. *J Obstet Gynaecol Res*. 2022;48(3):576-586. doi:10.1111/jog.15112
65. Fuse N, Sakurai M, Motoike IN, et al. Genome-wide Association Study of Axial Length in Population-based Cohorts in Japan. *Ophthalmol Sci*. 2022;2(1):100113. doi:10.1016/j.xops.2022.100113
66. Turlousse DM, Narita K, Miura T, et al. Characterization and Demonstration of Mock Communities as Control Reagents for Accurate Human Microbiome Community Measurements. Jensen PA, ed. *Microbiol Spectr*. 2022;10(2). doi:10.1128/spectrum.01915-21
67. Kawame H, Fukushima A, Fuse N, et al. The return of individual genomic results to research participants: design and pilot study of Tohoku Medical Megabank Project. *J Hum Genet*. 2022;67(1):9-17. doi:10.1038/s10038-021-00952-8
68. Kitamura H, Takeda H, Motohashi H. Genetic, metabolic and immunological features of cancers with <sc>NRF2</sc> addiction. *FEBS Lett*. 2022;596(16):1981-1993. doi:10.1002/1873-3468.14458
69. Shigeta S, Shimada M, Tsuji K, et al. Risk assessment in the patients with uterine cervical cancer harboring intermediate risk factors after radical hysterectomy: a multicenter, retrospective analysis by the Japanese Gynecologic Oncology Group. *Int J Clin Oncol*. 2022;27(9):1507-1515. doi:10.1007/s10147-022-02198-6

70. Shimizu M, Hirose N, Kato M, et al. Further survey of genetic variants of flavin-containing monooxygenase 3 (FMO3) in Japanese subjects found in an updated database of genome resources and identified by phenotyping for trimethylaminuria. *Drug Metab Pharmacokinet.* 2022;46:100465. doi:10.1016/j.dmpk.2022.100465
71. Kushima I, Aleksic B, Kimura H, et al. X chromosome aneuploidies and schizophrenia: association analysis and phenotypic characterization. *Psychiatry Clin Neurosci.* 2022;76(12):667-673. doi:10.1111/pcn.13474
72. Patel SD, Anand D, Motohashi H, Katsuoka F, Yamamoto M, Lachke SA. Deficiency of the bZIP transcription factors Mafg and Mafk causes misexpression of genes in distinct pathways and results in lens embryonic developmental defects. *Front Cell Dev Biol.* 2022;10. doi:10.3389/fcell.2022.981893
73. Mahajan A, Spracklen CN, Zhang W, et al. Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. *Nat Genet.* 2022;54(5):560-572. doi:10.1038/s41588-022-01058-3
74. Miyamoto A, Yamanaka T, Suzuki S, et al. Oligomeric state of the aspartate:alanine transporter from *Tetragenococcus halophilus*. *J Biochem.* 2022;172(4):217-224. doi:10.1093/jb/mvac057
75. Shigeta S, Shimada M, Tsuji K, et al. Correction to: Risk assessment in the patients with uterine cervical cancer harboring intermediate risk factors after radical hysterectomy: a multicenter, retrospective analysis by the Japanese Gynecologic Oncology Group. *Int J Clin Oncol.* 2022;27(9):1516-1516. doi:10.1007/s10147-022-02211-y
76. Nagai T, Shimada M, Tokunaga H, Ishikawa M, Yaegashi N. Clinical issues of surgery for uterine endometrial cancer in Japan. *Jpn J Clin Oncol.* 2022;52(4):346-352. doi:10.1093/jjco/hyab211
77. Kobayashi T, Kobayashi M, Minegishi N, et al. Design and Progress of Child Health Assessments at Community Support Centers in the Birth and Three-Generation Cohort Study of the Tohoku Medical Megabank Project. *Tohoku J Exp Med.* Published online 2022:2022.J103. doi:10.1620/tjem.2022.J103
78. Siamoglou S, Koromina M, Hishinuma E, et al. Identification and functional validation of novel pharmacogenomic variants using a next-generation sequencing-based approach for clinical pharmacogenomics. *Pharmacol Res.* 2022;176:106087. doi:10.1016/j.phrs.2022.106087
79. Kukimoto I, Onuki M, Yamamoto K, et al. Regional differences in human papillomavirus type 52 prevalence among Japanese women with cervical intraepithelial neoplasia. *Jpn J Clin Oncol.* Published online August 6, 2022. doi:10.1093/jjco/hyac127
80. Hishinuma E, Narita Y, Obuchi K, et al. Importance of Rare DPYD Genetic Polymorphisms for 5-Fluorouracil Therapy in the Japanese Population. *Front Pharmacol.* 2022;13. doi:10.3389/fphar.2022.930470

81. Kuga A, Tsuchida K, Panda H, et al. The β -TrCP-Mediated Pathway Cooperates with the Keap1-Mediated Pathway in Nrf2 Degradation In Vivo. *Mol Cell Biol.* 2022;42(7). doi:10.1128/mcb.00563-21
82. Matsuo K, Klar M, Ciccone MA, et al. Incorporation of sentinel lymph node biopsy in cervical cancer surgery: Recent U.S. trends. *Eur J Surg Oncol.* 2022;48(6):1407-1413. doi:10.1016/j.ejso.2022.02.018
83. Ragab OM, Mehta S, Nusbaum DJ, et al. Incorporation of vaginal brachytherapy to external beam radiotherapy in adjuvant therapy for high-risk early-stage cervical cancer: A comparative study. *Brachytherapy.* 2022;21(2):141-150. doi:10.1016/j.brachy.2021.09.006
84. Grapotte M, Saraswat M, Bessièrè C, et al. Author Correction: Discovery of widespread transcription initiation at microsatellites predictable by sequence-based deep neural network. *Nat Commun.* 2022;13(1):1200. doi:10.1038/s41467-022-28758-y
85. Shigeta S, Watanabe Y, Suzuki F, et al. MicroRNA-152 Regulates Endometrial Serous Carcinoma Cell Motility by Suppressing Matrix Metalloproteinase 10 Expression. *Tohoku J Exp Med.* 2022;256(3):256-249. doi:10.1620/tjem.256.249
86. Ohneda K, Hamanaka Y, Kawame H, et al. Returning individual genomic results to population-based cohort study participants with BRCA1/2 pathogenic variants. *Breast Cancer.* Published online September 26, 2022. doi:10.1007/s12282-022-01404-7
87. Yu Z, Matsukawa N, Saigusa D, et al. Plasma metabolic disturbances during pregnancy and postpartum in women with depression. *iScience.* 2022;25(12):105666. doi:10.1016/j.isci.2022.105666
88. Matsuyama T, Narita A, Takanashi M, et al. Visualization of estimated prevalence of CES-D positivity accounting for background factors and AIS scores. *Sci Rep.* 2022;12(1):17656. doi:10.1038/s41598-022-22266-1
89. Saigusa D, Honda T, Iwasaki Y, et al. Lipidomic and metabolic profiling of plasma and plasma-derived extracellular vesicles by UHPLC–MS/MS. *Med Mass Spectrom.* 2022;6(2):126-137. doi:10.24508/mms.2022.11.007
90. Otsuki A, Okamura Y, Ishida N, et al. Construction of a trio-based structural variation panel utilizing activated T lymphocytes and long-read sequencing technology. *Commun Biol.* 2022;5(1):991. doi:10.1038/s42003-022-03953-1
91. Kato K, Nakayoshi T, Nokura R, et al. Deciphering Structural Alterations Associated with Activity Reductions of Genetic Polymorphisms in Cytochrome P450 2A6 Using Molecular Dynamics Simulations. *Int J Mol Sci.* 2021;22(18):10119. doi:10.3390/ijms221810119

92. Saigusa D, Hishinuma E, Matsukawa N, et al. Comparison of Kit-Based Metabolomics with Other Methodologies in a Large Cohort, towards Establishing Reference Values. *Metabolites*. 2021;11(10):652. doi:10.3390/metabo11100652
93. Lawson J, Cabili MN, Kerry G, et al. The Data Use Ontology to streamline responsible access to human biomedical datasets. *Cell Genomics*. 2021;1(2):100028. doi:10.1016/j.xgen.2021.100028
94. Ogishima S, Nagaie S, Mizuno S, et al. dbTMM: an integrated database of large-scale cohort, genome and clinical data for the Tohoku Medical Megabank Project. *Hum Genome Var*. 2021;8(1):44. doi:10.1038/s41439-021-00175-5
95. Otsuki A, Okamura Y, Aoki Y, et al. Identification of Dominant Transcripts in Oxidative Stress Response by a Full-Length Transcriptome Analysis. *Mol Cell Biol*. 2021;41(2). doi:10.1128/MCB.00472-20
96. Minato T, Ito S, Li B, et al. Liquid biopsy with droplet digital PCR targeted to specific mutations in plasma cell-free tumor DNA can detect ovarian cancer recurrence earlier than CA125. *Gynecol Oncol Reports*. 2021;38:100847. doi:10.1016/j.gore.2021.100847
97. Tokunaga H, Iida K, Hozawa A, et al. Novel candidates of pathogenic variants of the BRCA1 and BRCA2 genes from a dataset of 3,552 Japanese whole genomes (3.5KJPNv2). Zheng Y, ed. *PLoS One*. 2021;16(1):e0236907. doi:10.1371/journal.pone.0236907
98. Okazaki K, Anzawa H, Liu Z, et al. Publisher Correction: Enhancer remodeling promotes tumor-initiating activity in NRF2-activated non-small cell lung cancers. *Nat Commun*. 2021;12(1):506. doi:10.1038/s41467-021-20927-9
99. Saigusa D, Matsukawa N, Hishinuma E, Koshiba S. Identification of biomarkers to diagnose diseases and find adverse drug reactions by metabolomics. *Drug Metab Pharmacokinet*. 2021;37:100373. doi:10.1016/j.dmpk.2020.11.008
100. Miyauchi K, Nakai T, Saito S, et al. Renal interstitial fibroblasts coproduce erythropoietin and renin under anaemic conditions. *EBioMedicine*. 2021;64:103209. doi:10.1016/j.ebiom.2021.103209
101. Baird L, Yamamoto M. NRF2-Dependent Bioactivation of Mitomycin C as a Novel Strategy To Target KEAP1-NRF2 Pathway Activation in Human Cancer. *Mol Cell Biol*. 2021;41(2). doi:10.1128/MCB.00473-20
102. Fukunaga K, Hishinuma E, Hiratsuka M, et al. Determination of novel CYP2D6 haplotype using the targeted sequencing followed by the long-read sequencing and the functional characterization in the Japanese population. *J Hum Genet*. 2021;66(2):139-149. doi:10.1038/s10038-020-0815-x

103. Tayama H, Karasawa H, Yamamura A, et al. The association between ERK inhibitor sensitivity and molecular characteristics in colorectal cancer. *Biochem Biophys Res Commun*. 2021;560:59-65. doi:10.1016/j.bbrc.2021.04.130
104. Takayama J, Tadaka S, Yano K, et al. Construction and integration of three de novo Japanese human genome assemblies toward a population-specific reference. *Nat Commun*. 2021;12(1):226. doi:10.1038/s41467-020-20146-8
105. Horiuchi M, Taguchi K, Hirose W, et al. Cellular Nrf2 Levels Determine Cell Fate during Chemical Carcinogenesis in Esophageal Epithelium. *Mol Cell Biol*. 2021;41(2):125-128. doi:10.1128/MCB.00536-20
106. Kumondai M, Ito A, Gutiérrez Rico EM, et al. Functional Assessment of 12 Rare Allelic CYP2C9 Variants Identified in a Population of 4773 Japanese Individuals. *J Pers Med*. 2021;11(2):94. doi:10.3390/jpm11020094
107. Mizukami M, Ishikawa A, Miyazaki S, et al. A de novo CHD3 variant in a child with intellectual disability, autism, joint laxity, and dysmorphisms. *Brain Dev*. 2021;43(4):563-565. doi:10.1016/j.braindev.2020.12.004
108. Kojima K, Shido K, Tamiya G, Yamasaki K, Kinoshita K, Aiba S. Facial UV photo imaging for skin pigmentation assessment using conditional generative adversarial networks. *Sci Rep*. 2021;11(1):1213. doi:10.1038/s41598-020-79995-4
109. Nagayoshi Y, Chujo T, Hirata S, et al. Loss of Ftsj1 perturbs codon-specific translation efficiency in the brain and is associated with X-linked intellectual disability. *Sci Adv*. 2021;7(13). doi:10.1126/sciadv.abf3072
110. Hakamata M, Hokari S, Ohshima Y, et al. Chronic Hypercapnic Respiratory Failure in an Adult Patient with Silver-Russell Syndrome. *Intern Med*. 2021;60(12):1921-1926. doi:10.2169/internalmedicine.5479-20
111. Horie Y, Suzuki T, Inoue J, et al. Molecular basis for the disruption of Keap1–Nrf2 interaction via Hinge & Latch mechanism. *Commun Biol*. 2021;4(1):576. doi:10.1038/s42003-021-02100-6
112. Shido K, Kojima K, Shirota M, et al. GWAS Identified IL4R and the Major Histocompatibility Complex Region as the Associated Loci of Total Serum IgE Levels in 9,260 Japanese Individuals. *J Invest Dermatol*. 2021;141(11):2749-2752. doi:10.1016/j.jid.2021.02.762
113. Nagaoka S, Yamaguchi-Kabata Y, Shiga N, et al. Estimation of the carrier frequencies and proportions of potential patients by detecting causative gene variants associated with autosomal recessive bone dysplasia using a whole-genome reference panel of Japanese individuals. *Hum Genome Var*. 2021;8(1):2. doi:10.1038/s41439-020-00133-7

114. Grapotte M, Saraswat M, Bessière C, et al. Discovery of widespread transcription initiation at microsatellites predictable by sequence-based deep neural network. *Nat Commun.* 2021;12(1):3297. doi:10.1038/s41467-021-23143-7
115. Kumondai M, Gutiérrez Rico EM, Hishinuma E, et al. Functional Characterization of 40 CYP3A4 Variants by Assessing Midazolam 1'-Hydroxylation and Testosterone 6 β -Hydroxylation. *Drug Metab Dispos.* 2021;49(3):212-220. doi:10.1124/dmd.120.000261
116. Kumondai M, Gutiérrez Rico E, Hishinuma E, et al. Functional Characterization of 21 Rare Allelic CYP1A2 Variants Identified in a Population of 4773 Japanese Individuals by Assessing Phenacetin O-Deethylation. *J Pers Med.* 2021;11(8):690. doi:10.3390/jpm11080690
117. Zhang A, Suzuki T, Adachi S, et al. Distinct Regulations of HO-1 Gene Expression for Stress Response and Substrate Induction. *Mol Cell Biol.* 2021;41(11). doi:10.1128/MCB.00236-21
118. Zheng Y, Maruoka M, Nanatani K, et al. High cellulolytic potential of the Ktedonobacteria lineage revealed by genome-wide analysis of CAZymes. *J Biosci Bioeng.* 2021;131(6):622-630. doi:10.1016/j.jbiosc.2021.01.008
119. Ishikawa T, Ogawa T, Nakanome A, et al. Whole exome sequencing and establishment of an organoid culture of the carcinoma showing thymus-like differentiation (CASTLE) of the parotid gland. *Virchows Arch.* 2021;478(6):1149-1159. doi:10.1007/s00428-020-02981-8
120. Sakaue S, Kanai M, Tanigawa Y, et al. A cross-population atlas of genetic associations for 220 human phenotypes. *Nat Genet.* 2021;53(10):1415-1424. doi:10.1038/s41588-021-00931-x
121. Uruno A, Saigusa D, Suzuki T, et al. Nrf2 plays a critical role in the metabolic response during and after spaceflight. *Commun Biol.* 2021;4(1):1381. doi:10.1038/s42003-021-02904-6
122. Yamauchi T, Ochi D, Matsukawa N, et al. Machine learning approaches to predict gestational age in normal and complicated pregnancies via urinary metabolomics analysis. *Sci Rep.* 2021;11(1):17777. doi:10.1038/s41598-021-97342-z
123. Onoki T, Izumi Y, Takahashi M, et al. Skeletal muscle-specific Keap1 disruption modulates fatty acid utilization and enhances exercise capacity in female mice. *Redox Biol.* 2021;43:101966. doi:10.1016/j.redox.2021.101966
124. Saito S, Aoki Y, Tamahara T, et al. Oral Microbiome Analysis in Prospective Genome Cohort Studies of the Tohoku Medical Megabank Project. *Front Cell Infect Microbiol.* 2021;10. doi:10.3389/fcimb.2020.604596

125. Shiihara M, Ishikawa T, Saiki Y, et al. Development of a system combining comprehensive genotyping and organoid cultures for identifying and testing genotype-oriented personalised medicine for pancreatobiliary cancers. *Eur J Cancer*. 2021;148:239-250. doi:10.1016/j.ejca.2021.01.047
126. Sakurai-Yageta M, Kumada K, Gocho C, et al. Japonica Array NEO with increased genome-wide coverage and abundant disease risk SNPs. *J Biochem*. 2021;170(3):399-410. doi:10.1093/jb/mvab060
127. Graham SE, Clarke SL, Wu KHH, et al. The power of genetic diversity in genome-wide association studies of lipids. *Nature*. 2021;600(7890):675-679. doi:10.1038/s41586-021-04064-3
128. Shimizu M, Koibuchi N, Mizugaki A, et al. Genetic variants of flavin-containing monooxygenase 3 (FMO3) in Japanese subjects identified by phenotyping for trimethylaminuria and found in a database of genome resources. *Drug Metab Pharmacokinet*. 2021;38:100387. doi:10.1016/j.dmpk.2021.100387
129. Rehm HL, Page AJH, Smith L, et al. GA4GH: International policies and standards for data sharing across genomic research and healthcare. *Cell Genomics*. 2021;1(2):100029. doi:10.1016/j.xgen.2021.100029
130. Hozawa A, Tanno K, Nakaya N, et al. Study Profile of the Tohoku Medical Megabank Community-Based Cohort Study. *J Epidemiol*. 2021;31(1):65-76. doi:10.2188/jea.JE20190271
131. Uchida Y, Higuchi T, Shiota M, et al. Identification and Validation of Combination Plasma Biomarker of Afamin, Fibronectin and Sex Hormone-Binding Globulin to Predict Pre-eclampsia. *Biol Pharm Bull*. 2021;44(6):804-815. doi:10.1248/bpb.b20-01043
132. Isaka Y, Nishio S ya, Hishinuma E, Hiratsuka M, Usami S ichi. Improvement of a Rapid and Highly Sensitive Method for the Diagnosis of the Mitochondrial m.1555A>G Mutation Based on a Single-Stranded Tag Hybridization Chromatographic Printed-Array Strip. *Genet Test Mol Biomarkers*. 2021;25(1):79-83. doi:10.1089/gtmb.2020.0105
133. Hishinuma E, Shimada M, Matsukawa N, et al. Wide-Targeted Metabolome Analysis Identifies Potential Biomarkers for Prognosis Prediction of Epithelial Ovarian Cancer. *Toxins (Basel)*. 2021;13(7):461. doi:10.3390/toxins13070461
134. Yamada M, Motoike IN, Kojima K, et al. Genetic loci for lung function in Japanese adults with adjustment for exhaled nitric oxide levels as airway inflammation indicator. *Commun Biol*. 2021;4(1):1288. doi:10.1038/s42003-021-02813-8
135. Tadaka S, Hishinuma E, Komaki S, et al. jMorp updates in 2020: large enhancement of multi-omics data resources on the general Japanese population. *Nucleic Acids Res*. 2021;49(D1):D536-D544. doi:10.1093/nar/gkaa1034

136. Kuriyama S, Metoki H, Kikuya M, et al. Cohort Profile: Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study (TMM BirThree Cohort Study): rationale, progress and perspective. *Int J Epidemiol.* 2020;49(1):18-19m. doi:10.1093/ije/dyz169
137. Narita A, Nagai M, Mizuno S, et al. Clustering by phenotype and genome-wide association study in autism. *Transl Psychiatry.* 2020;10(1):290. doi:10.1038/s41398-020-00951-x
138. Yaoita N, Satoh K, Satoh T, et al. Identification of the Novel Variants in Patients With Chronic Thromboembolic Pulmonary Hypertension. *J Am Heart Assoc.* 2020;9(21). doi:10.1161/JAHA.120.015902
139. Suzuki T, Uruno A, Yumoto A, et al. Nrf2 contributes to the weight gain of mice during space travel. *Commun Biol.* 2020;3(1):496. doi:10.1038/s42003-020-01227-2
140. Ishida N, Aoki Y, Katsuoka F, et al. Landscape of electrophilic and inflammatory stress-mediated gene regulation in human lymphoblastoid cell lines. *Free Radic Biol Med.* 2020;161:71-83. doi:10.1016/j.freeradbiomed.2020.09.023
141. Baird L, Suzuki T, Takahashi Y, Hishinuma E, Saigusa D, Yamamoto M. Geldanamycin-Derived HSP90 Inhibitors Are Synthetic Lethal with NRF2. *Mol Cell Biol.* 2020;40(22). doi:10.1128/MCB.00377-20
142. Lin Y, Nakatochi M, Hosono Y, et al. Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. *Nat Commun.* 2020;11(1):3175. doi:10.1038/s41467-020-16711-w
143. Hishinuma E, Gutiérrez Rico E, Hiratsuka M. In Vitro Assessment of Fluoropyrimidine-Metabolizing Enzymes: Dihydropyrimidine Dehydrogenase, Dihydropyrimidinase, and β -Ureidopropionase. *J Clin Med.* 2020;9(8):2342. doi:10.3390/jcm9082342
144. Kojima K, Tadaka S, Katsuoka F, Tamiya G, Yamamoto M, Kinoshita K. A genotype imputation method for de-identified haplotype reference information by using recurrent neural network. Ay F, ed. *PLOS Comput Biol.* 2020;16(10):e1008207. doi:10.1371/journal.pcbi.1008207
145. Taguchi K, Yamamoto M. The KEAP1–NRF2 System as a Molecular Target of Cancer Treatment. *Cancers (Basel).* 2020;13(1):46. doi:10.3390/cancers13010046
146. Takahashi Y, Ueki M, Yamada M, et al. Improved metabolomic data-based prediction of depressive symptoms using nonlinear machine learning with feature selection. *Transl Psychiatry.* 2020;10(1):157. doi:10.1038/s41398-020-0831-9
147. Yokose T, Kabe Y, Matsuda A, et al. O-Glycan-Altered Extracellular Vesicles: A Specific Serum Marker Elevated in Pancreatic Cancer. *Cancers (Basel).* 2020;12(9):2469. doi:10.3390/cancers12092469
148. Wada Y, Kikuchi A, Arai-Ichinoi N, et al. Correction: Biallelic GALM pathogenic variants cause a novel type of galactosemia. *Genet Med.* 2020;22(7):1281. doi:10.1038/s41436-020-0836-z

149. Okazaki K, Anzawa H, Liu Z, et al. Enhancer remodeling promotes tumor-initiating activity in NRF2-activated non-small cell lung cancers. *Nat Commun.* 2020;11(1):5911. doi:10.1038/s41467-020-19593-0
150. Tsuboi A, Matsui H, Shiraishi N, et al. Design and Progress of Oral Health Examinations in the Tohoku Medical Megabank Project. *Tohoku J Exp Med.* 2020;251(2):97-115. doi:10.1620/tjem.251.97
151. Wagata M, Ishikuro M, Obara T, et al. Low birth weight and abnormal pre-pregnancy body mass index were at higher risk for hypertensive disorders of pregnancy. *Pregnancy Hypertens.* 2020;22:119-125. doi:10.1016/j.preghy.2020.08.001
152. Nishizawa A, Kumada K, Tatenno K, et al. Analysis of HLA-G long-read genomic sequences in mother-offspring pairs with preeclampsia. *Sci Rep.* 2020;10(1):20027. doi:10.1038/s41598-020-77081-3
153. Takahashi Y, Ueki M, Tamiya G, et al. Machine learning for effectively avoiding overfitting is a crucial strategy for the genetic prediction of polygenic psychiatric phenotypes. *Transl Psychiatry.* 2020;10(1):294. doi:10.1038/s41398-020-00957-5
154. Watahiki A, Shimizu K, Hoshikawa S, et al. Lipin-2 degradation elicits a proinflammatory gene signature in macrophages. *Biochem Biophys Res Commun.* 2020;524(2):477-483. doi:10.1016/j.bbrc.2020.01.119
155. Oishi T, Matsumaru D, Ota N, et al. Activation of the NRF2 pathway in Keap1-knockdown mice attenuates progression of age-related hearing loss. *npj Aging Mech Dis.* 2020;6(1):14. doi:10.1038/s41514-020-00053-4
156. Gutiérrez Rico EM, Kikuchi A, Saito T, et al. CYP2D6 genotyping analysis and functional characterization of novel allelic variants in a Ni-Vanuatu and Kenyan population by assessing dextromethorphan O-demethylation activity. *Drug Metab Pharmacokinet.* 2020;35(1):89-101. doi:10.1016/j.dmpk.2019.07.003
157. Kumondai M, Hishinuma E, Gutiérrez Rico EM, et al. Heterologous expression of high-activity cytochrome P450 in mammalian cells. *Sci Rep.* 2020;10(1):14193. doi:10.1038/s41598-020-71035-5
158. Matsunaga H, Ito K, Akiyama M, et al. Transethnic Meta-Analysis of Genome-Wide Association Studies Identifies Three New Loci and Characterizes Population-Specific Differences for Coronary Artery Disease. *Circ Genomic Precis Med.* 2020;13(3). doi:10.1161/CIRCGEN.119.002670
159. Kasai T, Ono S, Koshiha S, et al. Amino-acid selective isotope labeling enables simultaneous overlapping signal decomposition and information extraction from NMR spectra. *J Biomol NMR.* 2020;74(2-3):125-137. doi:10.1007/s10858-019-00295-9
160. Vos RA, Katayama T, Mishima H, et al. BioHackathon 2015: Semantics of data for life sciences and reproducible research. *F1000Research.* 2020;9:136. doi:10.12688/f1000research.18236.1

161. Saigusa D, Motoike IN, Saito S, et al. Impacts of NRF2 activation in non–small-cell lung cancer cell lines on extracellular metabolites. *Cancer Sci.* 2020;111(2):667-678. doi:10.1111/cas.14278
162. Baird L, Yamamoto M. The Molecular Mechanisms Regulating the KEAP1-NRF2 Pathway. *Mol Cell Biol.* 2020;40(13). doi:10.1128/MCB.00099-20
163. Koshiha S, Motoike IN, Saigusa D, et al. Identification of critical genetic variants associated with metabolic phenotypes of the Japanese population. *Commun Biol.* 2020;3(1):662. doi:10.1038/s42003-020-01383-5
164. Hayashi M, Kuga A, Suzuki M, et al. Microenvironmental Activation of Nrf2 Restricts the Progression of Nrf2-Activated Malignant Tumors. *Cancer Res.* 2020;80(16):3331-3344. doi:10.1158/0008-5472.CAN-19-2888
165. Suzuki T, Uruno A, Yumoto A, et al. Author Correction: Nrf2 contributes to the weight gain of mice during space travel. *Commun Biol.* 2020;3(1):566. doi:10.1038/s42003-020-01292-7
166. Nagai K, Uranbileg B, Chen Z, et al. Identification of novel biomarkers of hepatocellular carcinoma by high-definition mass spectrometry: Ultrahigh-performance liquid chromatography quadrupole time-of-flight mass spectrometry and desorption electrospray ionization mass spectrometry imaging. *Rapid Commun Mass Spectrom.* 2020;34(S1):e8551. doi:10.1002/rcm.8551
167. Ninomiya K, Takatsuki T, Kushida T, Yamamoto Y, Ogishima S. Choosing preferable labels for the Japanese translation of the Human Phenotype Ontology. *Genomics Inform.* 2020;18(2):e23. doi:10.5808/GI.2020.18.2.e23
168. Akiyama T, Saigusa D, Hyodo Y, et al. Metabolic Profiling of the Cerebrospinal Fluid in Pediatric Epilepsy. *Acta Med Okayama.* 2020;74(1):65-72. doi:10.18926/AMO/57955
169. Sakurai-Yageta M, Kawame H, Kuriyama S, et al. A training and education program for genome medical research coordinators in the genome cohort study of the Tohoku Medical Megabank Organization. *BMC Med Educ.* 2019;19(1):297. doi:10.1186/s12909-019-1725-5
170. Sato T, Kawasaki Y, Maekawa M, et al. Value of global metabolomics in association with diagnosis and clinicopathological factors of renal cell carcinoma. *Int J Cancer.* 2019;145(2):484-493. doi:10.1002/ijc.32115
171. Tadaka S, Katsuoka F, Ueki M, et al. 3.5KJPNv2: an allele frequency panel of 3552 Japanese individuals including the X chromosome. *Hum Genome Var.* 2019;6(1):28. doi:10.1038/s41439-019-0059-5
172. Katayama T, Kawashima S, Micklem G, et al. BioHackathon series in 2013 and 2014: improvements of semantic interoperability in life science data and services. *F1000Research.* 2019;8:1677. doi:10.12688/f1000research.18238.1

173. Shimizu M, Yoda H, Nakakuki K, et al. Genetic variants of flavin-containing monooxygenase 3 (FMO3) derived from Japanese subjects with the trimethylaminuria phenotype and whole-genome sequence data from a large Japanese database. *Drug Metab Pharmacokinet.* 2019;34(5):334-339. doi:10.1016/j.dmpk.2019.06.001
174. Malik R, Chauhan G, Traylor M, et al. Publisher Correction: Multiancestry genome-wide association study of 520,000 subjects identifies 32 loci associated with stroke and stroke subtypes. *Nat Genet.* 2019;51(7):1192-1193. doi:10.1038/s41588-019-0449-0
175. Larsson SC, Traylor M, Burgess S, et al. Serum magnesium and calcium levels in relation to ischemic stroke. *Neurology.* 2019;92(9). doi:10.1212/WNL.0000000000007001
176. Shido K, Kojima K, Yamasaki K, et al. Susceptibility Loci for Tanning Ability in the Japanese Population Identified by a Genome-Wide Association Study from the Tohoku Medical Megabank Project Cohort Study. *J Invest Dermatol.* 2019;139(7):1605-1608.e13. doi:10.1016/j.jid.2019.01.015
177. Wada Y, Kikuchi A, Arai-Ichinoi N, et al. Biallelic GALM pathogenic variants cause a novel type of galactosemia. *Genet Med.* 2019;21(6):1286-1294. doi:10.1038/s41436-018-0340-x
178. Saito T, Kuma A, Sugiura Y, et al. Autophagy regulates lipid metabolism through selective turnover of NCoR1. *Nat Commun.* 2019;10(1):1567. doi:10.1038/s41467-019-08829-3
179. Yasuda J, Kinoshita K, Katsuoka F, et al. Genome analyses for the Tohoku Medical Megabank Project towards establishment of personalized healthcare. *J Biochem.* 2019;165(2):139-158. doi:10.1093/jb/mvy096
180. Tanikawa C, Kamatani Y, Terao C, et al. Novel Risk Loci Identified in a Genome-Wide Association Study of Urolithiasis in a Japanese Population. *J Am Soc Nephrol.* 2019;30(5):855-864. doi:10.1681/ASN.2018090942
181. Yamaguchi-Kabata Y, Yasuda J, Uruno A, et al. Estimating carrier frequencies of newborn screening disorders using a whole-genome reference panel of 3552 Japanese individuals. *Hum Genet.* 2019;138(4):389-409. doi:10.1007/s00439-019-01998-7
182. Minegishi N, Nishijima I, Nobukuni T, et al. Biobank Establishment and Sample Management in the Tohoku Medical Megabank Project. *Tohoku J Exp Med.* 2019;248(1):45-55. doi:10.1620/tjem.248.45
183. Nagasaki M, Kuroki Y, Shibata TF, et al. Construction of JRG (Japanese reference genome) with single-molecule real-time sequencing. *Hum Genome Var.* 2019;6(1):27. doi:10.1038/s41439-019-0057-7
184. Sugawara J, Ochi D, Yamashita R, et al. Maternity Log study: a longitudinal lifelog monitoring and multiomics analysis for the early prediction of complicated pregnancy. *BMJ Open.* 2019;9(2):e025939. doi:10.1136/bmjopen-2018-025939

185. Mizuguchi T, Suzuki T, Abe C, et al. A 12-kb structural variation in progressive myoclonic epilepsy was newly identified by long-read whole-genome sequencing. *J Hum Genet.* 2019;64(5):359-368.
doi:10.1038/s10038-019-0569-5
186. Dodo M, Kitamura H, Shima H, et al. Lactate dehydrogenase C is required for the protein expression of a sperm-specific isoform of lactate dehydrogenase A. *J Biochem.* 2019;165(4):323-334.
doi:10.1093/jb/mvy108
187. Kumondai M, Ito A, Hishinuma E, et al. Development and application of a rapid and sensitive genotyping method for pharmacogene variants using the single-stranded tag hybridization chromatographic printed-array strip (STH-PAS). *Drug Metab Pharmacokinet.* 2018;33(6):258-263.
doi:10.1016/j.dmpk.2018.08.003
188. Saito T, Gutiérrez Rico EM, Kikuchi A, et al. Functional characterization of 50 CYP2D6 allelic variants by assessing primaquine 5-hydroxylation. *Drug Metab Pharmacokinet.* 2018;33(6):250-257.
doi:10.1016/j.dmpk.2018.08.004
189. Watanabe T, Saito T, Rico EMG, et al. Functional characterization of 40 CYP2B6 allelic variants by assessing efavirenz 8-hydroxylation. *Biochem Pharmacol.* 2018;156:420-430.
doi:10.1016/j.bcp.2018.09.010